WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	JK6F	(SL-Class)	Mercedes-Benz	SL400	2-Door Convertible	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	JK7D	(SL-Class)	Mercedes-Benz	SL550	2-Door Convertible	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	JK7E	(SL-Class)	Mercedes-Benz	SL63 AMG	2-Door Convertible	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	JK7K	(SL-Class)	Mercedes-Benz	SL65 AMG	2-Door Convertible	6.0 Liter, V-Type 12 cyl., Gasoline
WDD	PK4H	(SLK-Class)	Mercedes-Benz	SLK250	2-Door Convertible	1.8 Liter, In-Line Type 4 cyl., Gasoline
WDD	PK5H	(SLK-Class)	Mercedes-Benz	SLK350	2-Door Convertible	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	PK7F	(SLK-Class)	Mercedes-Benz	SLK55 AMG	2-Door Convertible	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HF9F	(E-Class)	Mercedes-Benz	E400 Hybrid	4-Door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline, Hybrid
WDD	HF0E	(E-Class)	Mercedes-Benz	E250 BLUETEC	4-Door Sedan	2.1 Liter, In-Line 4 cyl., Diesel
WDD	HF9H	(E-Class)	Mercedes-Benz	E250 BLUETEC	4-Door Sedan 4-MATIC	2.1 Liter, In-Line 4 cyl., Diesel
WDD	HF5K	(E-Class)	Mercedes-Benz	E350	4-Door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	HH8J	(E-Class)	Mercedes-Benz	E350	4-Door Wagon 4- MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	HF8J	(E-Class)	Mercedes-Benz	E350	4-Door Sedan 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	HF6F	(E-Class)	Mercedes-Benz	E400	4-Door Sedan	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	HF6H	(E-Class)	Mercedes-Benz	E400	4-Door Sedan 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	НН6Н	(E-Class)	Mercedes-Benz	E400	4-Door Wagon 4- MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	HF9B	(E-Class)	Mercedes-Benz	E550	4-Door Sedan 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	HF7E	(E-Class)	Mercedes-Benz	E63 AMG	4-Door Sedan	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HF9C	(E-Class)	Mercedes-Benz	E63 AMG	4-Door Sedan – 4 MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HF7F	(E-Class)	Mercedes-Benz	E63 AMG-S	4-Door Sedan	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HF7G	(E-Class)	Mercedes-Benz	E63 AMG-S	4-Door Sedan – 4 MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HH9C	(E-Class)	Mercedes-Benz	E63 AMG	4-Door Wagon – 4 MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HH7G	(E-Class)	Mercedes-Benz	E63 AMG-S	4-Door Wagon – 4 MATIC	5.5 Liter, V-Type 8 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	LJ6F	(CLS-Class)	Mercedes-Benz	CLS400	4-Door Coupe	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	LJ6H	(CLS-Class)	Mercedes-Benz	CLS400	4-Door Coupe 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	LJ7D	(CLS-Class)	Mercedes-Benz	CLS550	4-Door Coupe	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	LJ9B	(CLS-Class)	Mercedes-Benz	CLS550	4-Door Coupe 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	LJ7E	(CLS-Class)	Mercedes-Benz	CLS63 AMG	4-Door Coupe	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	LJ9C	(CLS-Class)	Mercedes-Benz	CLS63 AMG	4-Door Coupe 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	LJ7F	(CLS-Class)	Mercedes-Benz	CLS63 AMG-S	4-Door Coupe	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	LJ7G	(CLS-Class)	Mercedes-Benz	CLS63 AMG-S	4-Door Coupe 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	SJ4E	(CLA-Class)	Mercedes-Benz	CLA250	4-Door Sedan	2.0 Liter, In_line 4 cyl., Gasoline
WDD	SJ4G	(CLA-Class)	Mercedes-Benz	CLA250-4 MATIC	4-Door Sedan 4-MATIC	2.0 Liter, In_line 4 cyl., Gasoline
WDD	SJ5C	(CLA-Class)	Mercedes-Benz	CLA 45 AMG	4-Door Sedan	2.0 Liter, In_line 4 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDC	TG4E	(GLA-Class)	Mercedes-Benz	GLA250	4-Door MPV	2.0 Liter, In_line 4 cyl., Gasoline
WDC	TG4G	(GLA-Class)	Mercedes-Benz	GLA250-4 MATIC	4-Door MPV 4-MATIC	2.0 Liter, In_line 4 cyl., Gasoline
WDD	TG5C	(GLA-Class)	Mercedes-Benz	GLA 45 AMG- 4M	4-Door Wagon 4- MATIC	2.0 Liter, In_line 4 cyl., Gasoline
WDD	WF4J	(C-Class)	Mercedes-Benz	C300	4-Door Sedan	2.0 Liter, In-Line Type 4 cyl ., Gasoline
WDD	WF4K	(C-Class)	Mercedes-Benz	C300	4-Door Sedan 4 MATIC	2.0 Liter, In-Line Type 4 cyl., Gasoline
WDD	WF6G	(C-Class)	Mercedes-Benz	C400	4-Door Sedan -4M	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	WF8G	(C-Class)	Mercedes-Benz	C63 AMG	4-Door Sedan	6.3 Liter, V-Type 8 cyl., Gasoline
WDD	WF8H	(C-Class)	Mercedes-Benz	C63 AMG-S	4-Door Sedan	6.3 Liter, V-Type 8 cyl., Gasoline
55S	WF4J	(C-Class)	Mercedes-Benz	C300	4-Door Sedan	2.0 Liter, In-Line Type 4 cyl ., Gasoline
55S	WF4K	(C-Class)	Mercedes-Benz	C300	4-Door Sedan 4 MATIC	2.0 Liter, In-Line Type 4 cyl., Gasoline
55S	WF6G	(C-Class)	Mercedes-Benz	C400	4-Door Sedan -4M	3.0 Liter, V-Type 6 cyl., Gasoline

WMI	First 4 Characters of Second VIN	Line	Make	Series	Body Type	Engine Type
55S	WF8G	(C-Class)	Mercedes-Benz	C63 AMG	4-Door Sedan	6.3 Liter, V-Type 8 cyl., Gasoline
55S	WF8H	(C-Class)	Mercedes-Benz	C63 AMG-S	4-Door Sedan	6.3 Liter, V-Type 8 cyl., Gasoline
WDD	GJ4H	(C-Class)	Mercedes-Benz	C250	2-Door Coupe	1.8 Liter, In-Line Type 4 cyl ., Gasoline
WDD	GJ8J	(C-Class)	Mercedes-Benz	C350	2-Door Coupe 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	GJ5H	(C-Class)	Mercedes-Benz	C350	2-Door Coupe	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	GJ7H	(C-Class)	Mercedes-Benz	C63 AMG	2-Door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	KJ5K	(E-Class)	Mercedes-Benz	E350	2-door Coupe	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KJ8J	(E-Class)	Mercedes-Benz	E350	2-door Coupe 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KJ7D	(E-Class)	Mercedes-Benz	E550	2-door Coupe	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	KJ6F	(E-Class)	Mercedes-Benz	E400	2-door Coupe	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	KJ6H	(E-Class)	Mercedes-Benz	E400	2-door Coupe 4-MATIC	3.0 Liter, V-Type 8 cyl., Gasoline
WDD	KK5K	(E-Class)	Mercedes-Benz	E350	2-door Cabriolet	3.5 Liter, V-Type 6 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	KK6F	(E-Class)	Mercedes-Benz	E400	2-door Cabriolet	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	KK7D	(E-Class)	Mercedes-Benz	E550	2-door Cabriolet	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	UG8C	(S-Class)	Mercedes-Benz	S550	4-door Sedan	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	UG8F	(S-Class)	Mercedes-Benz	S550	4-door Sedan 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	UG7J	(S-Class)	Mercedes-Benz	S63 AMG	4-door Sedan 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	UG7G	(S-Class)	Mercedes-Benz	S600	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline
WDD	UG6D	(S-Class)	Mercedes-Benz	S500 - Hybrid	4-door Sedan 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	UG7K	(S-Class)	Mercedes-Benz	S65 AMG	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline
WDD	XJ8F	(S-Class)	Mercedes-Benz	S550	2-door Coupe 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	XJ7J	(S-Class)	Mercedes-Benz	S63 AMG	2-door Coupe 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	XJ7K	(S-Class)	Mercedes-Benz	S65 AMG	2-door Coupe	6.0 Liter, V-Type 12 cyl., Gasoline

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDD	RJ7H	(SLS-Class)	Mercedes-Benz	SLS AMG	2-door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	RJ7J	(SLS-Class)	Mercedes-Benz	SLS AMG-GT	2-door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	RK7H	(SLS-Class)	Mercedes-Benz	SLS AMG	2-door Roadster	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	RK7J	(SLS-Class)	Mercedes-Benz	SLS AMG-GT	2-door Roadster	6.2 Liter, V-Type 8 cyl., Gasoline
WME	EJ3B	(smart)	smart	fortwo coupe	2-door Coupe	1.0 Liter, In-Line Type 3 cyl., Gasoline
WME	EK3B	(smart)	smart	fortwo cabrio	2-door Convertible	1.0 Liter, In-Line Type 3 cyl., Gasoline
WME	EJ9A	(smart)	smart	electric drive coupe	2-door Coupe	Electric Motor
WME	EK9A	(smart)	smart	electric drive cabrio	2-door Convertible	Electric Motor
WDD	VP9A	(B-Class)	Mercedes-Benz	B Electric	4-Door Sedan	Electric Motor

fifth Character of Second VIN Section	Restraint Systems and their location
A	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger.
В	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
С	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters.
D	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners.
E	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st , 2 nd and 3 rd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
F	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.

WMI	First 4 Characters of Second VIN Section	Line	Series	Make	Body Type	Engine Type	Gross Vehicle Weight Rating
4JG	DA0E	(M-Class)	ML250 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	2.1 Liter, In-Line 4 cyl., Diesel	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA2E	(M-Class)	ML350 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA5J	(M-Class)	ML350	Mercedes-Benz	4-door MPV	3.5 Liter, V-Type 6 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA5H	(M-Class)	ML350	Mercedes-Benz	4-door MPV 4- MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA5K	(M-Class)	ML400	Mercedes-Benz	4-door MPV	3.0 Liter, V-Type 6 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA5G	(M-Class)	ML400	Mercedes-Benz	4-door MPV 4- MATIC	3.0 Liter, V-Type 6 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA7D	(M-Class)	ML550	Mercedes-Benz	4-door MPV 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA7E	(M-Class)	ML63 AMG	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	Class E = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DF6F	(GL-Class)	GL450	Mercedes-Benz	4-door MPV	3.0 Liter, V-Type 6 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
4JG	DF6E	(GL-Class)	GL450 4MATIC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs – 8 000 lbs)

WMI	First 4 Characters of Second VIN Section	Line	Series	Make	Body Type	Engine Type	Gross Vehicle Weight Rating
4JG	DF2E	(GL-Class)	GL 350 BLUETEC 4MATIC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
4JG	DF7D	(GL-Class)	GL 550 4MATIC	Mercedes-Benz	4-door MPV 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
4JG	DF7E	(GL-Class)	GL63 AMG	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
WDC	ҮС3Н	(G-Class)	G550	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs – 8 000 lbs)
WDC	YC7D	(G-Class)	G63 AMG	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	Class F = greater than 3 175 kg to 3 629 kg (7 001 lbs - 8 000 lbs)
WDC	GG0E	(GLK-Class)	GLK250 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	2.1 Liter, In-line 4 cyl. in line, diesel	Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)
WDC	GG5H	(GLK-Class)	GLK350	Mercedes-Benz	4-door MPV	3.5 Liter, V-Type 6 cyl., Gasoline	Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)
WDC	GG8J	(GLK-Class)	GLK350	Mercedes-Benz	4-door MPV 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)

Fifth Character of Second VIN Section	Restraint Systems and their location
А	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger.
B*)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
С	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters.
D	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st and 2 nd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners.
E**)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st , 2 nd and 3 rd row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
F	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 st row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.

^{*)} Lines: 166 (M-class); X166 (GL-class with two seating rows); 251 (R-class with two seating rows); 463 (G-class); X204 (GLK-Class) **) Lines: X166 (GL-class with three seating rows);

Model Year 2015 S550 \	<u>/IN</u>	<u>WDD</u>	UG8C	<u>B</u>	0	F	<u>A</u>	000000
Manufacturer's Code								
Model Type								
Restraint System								
Check Digit								
Model Year								
Plant Codes (WDB):	A,B,C,D = Sindelfingen E = Juiz De Fora (Brazil) F,G,H = Bremen							
Plant Code (WDC):	X = Graz (Austria) F,G = Bremen J,K - Rastatt							
Plant Codes (WDD):	A,B,C,D = Sindelfingen F,G,H = Bremen J, K = Rastatt M = Woking (UK) – SLR McLaren N, P = Kecskemet R, S = East London (South Africa) V = Uusuikaupunki (Finland)							
Plant Code (WME):	J, K= Hambach (France) Y = Novo Mesto (Slovenia)							
Plant Code (4JG):	A = Vance, Alabama (US)							
Plant Code (55S):	A, U = Vance, Alabama (US)							
Seguential Serial Numb	er (6 digits)							